# Public Information Workshops

### Proposed 2001 Willamette Reservoir Operations

March 13, 2001 - Springfield March 14, 2001 - Sweet Home March 15, 2001 - Stayton



### Meeting Overview

- Normal Reservoir Operating Criteria
- Special Operations for Endangered Species
- Review of Operations Last Year
- Proposed Reservoir Operations this Year
  - Current Conditions
  - Flow Forecasts for the Remainder of 2001
- Answer Questions/Receive Comments



# Foster Lake Planned 2001 Operations

- Drawdown for Juvenile Steelhead Migration
  - April May
- Reservoir Refill by 25 May
- Reservoir Clearing Prior to Labor Day Weekend



# The Willamette Reservoirs --System Overview

- System description
- Authorized project purposes
- Endangered species consultation
- Rule curves
- Operating Criteria During the Conservation Season (Feb-Oct)
  - Longstanding Operational Criteria
  - Recent Criteria



### Willamette Basin Project, Oregon

#### 13 Dams and Reservoirs

- 11 multiple-purpose
- 2 reregulating

Over 100 Miles of Bank Protection works

Navigation Channel, Mouth to Corvallis (135 miles)





### Authorized Purposes

- ∠ Hydropower
- Navigation
- ∠ Irrigation
- Fish & Wildlife
- Recreation
- ∠ Water Quality
- Municipal & Industrial



# Endangered Species Listings in the Upper Willamette Basin

- Spring Chinook
- Winter Steelhead
- Bull Trout
- Oregon Chub



# Willamette Basin Project ESA Section 7 Consultation

- Action Under Consideration:
  - Continued operation of 13 Corps reservoirs
  - Willamette Bank Protection Program
- Action Area:
  - Willamette River & major tributaries on which projects are located
  - Lower Willamette & Columbia Rivers influenced by flows



## Willamette Basin Project ESA Section 7 Consultation

- Joint Consultation: NMFS & USFWS
- Multiple-Species Evaluation
  - All Fish, Wildlife and Plants Currently Listed or Proposed for Listing Under Federal ESA
  - Focus on Aquatic Species (Salmon, Steelhead, Bull Trout & Oregon Chub)
- **∠** Status
  - Preliminary Draft Biological Opinion




## Willamette Basin Project ESA Section 7 Consultation

#### Categories of Potential Conservation Measures

- ∠ Flow management (Minimum Spring Flows)
- Temperature Control Facilities
- Fish Passage Improvements
- Downstream Habitat Restoration
- Nutrient Replenishment
- ∠ Large Woody Debris Replacement




#### Multi-Purpose Reservoir Water Control Diagram





### Willamette Conservation Storage Total = 1.6 million Acre-feet





### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - Minimum Instream Flows
  - Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Drawdown Priorities
- New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



# Minimum Tributary Flows for Fish, Water Quality & Recreation (June - October)

∠ Hills Creek 300 cfs

**∠** Blue River 50 cfs

**∠** Lookout Point 1,000 cfs

✓ Fern Ridge 30 cfs

Fall Creek 30 - 150 cfs

✓ Dorena 100 cfs

■ Detroit 1000 cfs

∠ Cougar 300 cfs



### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - Minimum Instream Flows
  - Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Drawdown Priorities
- New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



# Mainstem Flow Augmentation for Fish Habitat & Water Quality

(June - October)

Albany - 5,000 cubic feet per second (cfs)

≤ Salem - 6,500 cfs



### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - Minimum Instream Flows
  - Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Drawdown Priorities
- New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



# Out-of-Stream Uses of Stored Water

- **≠** 57,000 Acre Feet for Irrigation
- Currently No Municipal and Industrial Use



### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - Minimum Instream Flows
  - Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Drawdown Priorities
- ✓ New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



#### Reservoir Drawdown Priorities

(April -October)

First: Lookout Point

Second: Cougar

Third: Blue River

Fourth: Hills Creek

Fifth: Fall Creek, Cottage Grove,

Dorena, Green Peter

Last: Fern Ridge, Foster, Detroit



### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - Minimum Instream Flows
  - ✓ Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Refill and Drawdown Priorities
- ✓ New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



### Spring Fish Flow Thresholds

- Supports Juvenile Steelhead and Adult Chinook Migration
- Studies by ODFW Show Increased Survival Under Higher Spring Flows
- Requested by National Marine Fisheries Service in Their Draft Biological Opinion



### Spring Fish Flows

<u>Period</u>

<u>Thresholds</u>\*

Apr 1 - Apr 15

20,500 cfs

Apr 16 - Apr 30

17,800 cfs

May 1 - May 31

15,000 cfs

June 1 - June 15

13,000 cfs

June 16 - June 30

8,700 cfs

<sup>\*</sup> Weekly Average flows; may be scaled back during dry years



### Willamette Reservoir Projects Conservation Season Operating Criteria

- Historic Operating Criteria
  - ✓ Minimum Instream Flows
  - Mainstem Flow Augmentation (Jun-Oct)
  - Water for Out-of-Stream Needs
  - Refill and Drawdown Priorities
- New Criteria for Endangered Species
  - Spring Fish Flow Thresholds (Apr-Jun)
  - Hold Lookout Point full for Oregon Chub



### Lookout Point -- Oregon Chub Special Operations

#### Objective:

Hold Lookout Point Lk. at Full Pool Through 15 July

#### ∠ Purpose:

Protect Oregon Chub Spawning Habitat in Small Protected Embayments Around the Lake Margin

#### ∠ Impact:

Shifts Drawdown Priorities for Meeting Downstream Flow Targets to Other Reservoirs



# The Challenge of Low Flow Years

- ∠ Low Water Conditions Occur an Average of 2 Out of Every 10 Years
- Separate Strategies are Essential to Deal with Low-Flow Years



### Proposed Salem Flow Adjustments

TIME PERIOD	FULL TARGET FLOWS (cfs)	REDUCED TARGET FLOWS (cfs)
Spring/Early Summer Fish Flows		
Early April	20,500	16,400
Late April	17,800	15,000
May	15,000	15,000
Early June	13,000	11,700
<b>Late June</b>	8,700	7,800
Summer/Fall Flow Augmentation Targets		
July	6,000	5,500
Early August	6,000	5,500
Late August	6,500	6,000
September	7,000	6,500



### Year 2000 Willamette Operations

Last Year's Operations

Current Reservoir Conditions


#### **2000 FLOWS MEASURED AT SALEM**



—SLMO —SLMO Target




#### **LOOKOUT POINT**






#### **BLUE RIVER**






#### **GREEN PETER**






#### **DETROIT**






#### **FOSTER**






#### **FERN RIDGE**






#### **COUGAR**






### **HILLS CREEK**






### **FALL CREEK**





Rule Curve Actual Elevation ...... Inflow — Outflow


### **DORENA**





Rule Curve Actual Elevation - - Inflow Outflow

### **COTTAGE GROVE**






## Current Operations (2001)

- Refill Started 15 January System was Ten Percent Full by 1 February
- All Projects have Maintained Min. Flows to Maximize Refill
  - Min. Flows Reduced Below Detroit and Lookout Point
  - Power System Emergency in Feb. Resulted in Higher Flows from Green Peter
  - The Willamette System is 35 Percent Below the Rule Curve (Equates to 550,000 acre-feet)
- ∠ February Regulated Flows at Salem were the Second Lowest for the Period of Record (1936-1994)



## Current Storage (2001)








■ Actual Storage ■ Required Storage

# Proposed 2001 Willamette Operations

- Current Hydrologic Conditions
- ∠ 1 March Water Supply Forecast
- Modeling Results




## Current Hydrologic Conditions





## **Current Hydrologic Conditions**





## Current Hydrologic Conditions


Unreg. Flows - Accum. Vol. (Percent of Avg.)
As Of: 28 Feb 2001

LOCATION	ОСТ	NOV	DEC	JAN	FEB
McKenzie River @ Vida	87.7	59.8	53.9	49.8	48.0
N. Santiam @ Mehama	93.4	51.3	50.0	45.8	44.2
S. Santiam @ Waterloo	49.3	27.8	36.5	34.1	33.3
Willamette @ Salem	60.0	30.0	32.0	29.0	29.0




### Forecast Analysis


- ✓ Uses a Hydrologic Model of the Willamette Projects & the March NRCS Water Supply Forecast
- ✓ Simulates the Operation of the 13 Willamette Projects for Period of Record (59 Years)
- Operational Criteria Previously Discussed































































### Questions

and

Comments

